



Model

GS1010P

8-Port Gigabit PoE+ Switch
with 2 Gigabit Uplink Ports



Product Features

1. 8*10/100/1000M PoE Ports +2*1000M Ethernet Ports;
2. Support IEEE 802.3, IEEE 802.3u, IEEE 802.3x, IEEE802.3x standard;
3. Ethernet Ports support 10/100/1000M self-adaptive;
4. The AI mode is automatically enabled 10M speed for Ports 7-8 in Extend mode;
5. POE priority is supported, from port 1 to port 8, which is enabled by default
6. Flow control mode: full-duplex adopts IEEE 802.3x standard, half-duplex adopts Back pressure standard;
7. Zero configuration feature, automatically supplied to adaptive equipment;
8. Panel indicator monitoring status and help failure analysis;
9. With DIP switch, support VLAN, Default and Extend modes.

Product Specifications

Power	AC INPUT (100-240V)
Ethernet	8* Gigabit PoE Ethernet Ports 2* Gigabit Uplink Ethernet Port
Bandwidth	20Gbps
Pack forward rate	14.88Mpps
Memory cache	448K
MAC address	2K
Jumbo Frame	2048bytes
Transfer mode	Store and forward
Network Protocol	IEEE802.3 (10Base-T) IEEE802.3u (100Base-TX) IEEE802.3ab (1000Base-TX) IEEE802.3x (Flow control)
PoE Protocol	IEEE802.3af(15.4W) IEEE802.3at(30W)

3. Product Specifications

Industry Standard	EMI: FCC Part 15 CISPR (EN55032) class A EMS: EN61000-4-2 (ESD), EN61000-4-5 (Surge)
Network Medium	10Base-T : Cat3, 4, 5 or above UTP(≤100m) 100Base-TX : Cat5 or above UTP(≤100m) 1000Base-TX : Cat5 or above UTP(≤100m)
Working Environment	Working Temperature: -10~50°C Storage Temperature: -40~70°C Working Humidity: 10%~90%, non-condensing Storage Temperature: 5%~90%, non-condensing
Indicator	PWR (Power), 1-10 Green Light (Link&Data) On: Powered on Off: Powered off On: Link normal Off: Link blocked Flashing: Data transmitting VLAN: Isolation mode. Ports 1 to 8 are isolated and communicate with the upstream interface. Default: Normal mode, all interfaces can communicate with each other, the transmission distance is less than 100 meters, the transmission rate is 10/100/1000M adaptive; The port AI mode is disabled. Extend: Link extension mode, 7-8 ports force 10M, transmission distance extend to 250M.
Structure Size	Product size: 200*118*44mm Package size: 245*190*60mm
Power Voltage	Input voltage :AC100-240V Power supply: 52V2.3A (120W)
Packing List	Switch 1 PC, Power cord 1 PC, User manual 1 PC

CE DECLARATION OF CONFORMITY

For the following equipment:

Product Name: 8-Port Gigabit PoE+ Switch with 2 Gigabit Uplink Ports

Model Number: GS1010P

Trademark: Cudy

We declare under our own responsibility that the above product satisfies all the technical regulations applicable to the product within the scope of Council Directives:

Directive 2014/30/EU, Directive 2014/35/EU, Directive 2011/65/EU, Directive (EU) 2015/863

The above product is in conformity with the following standards or other normative documents:

EN 50032:2015+A1:2020 +A11:2020

EN IEC 61000-3-2:2019 + A1: 2021

EN61000-3-3: 2013 + A1:2019 + A2:2021

EN55035:2017 + A11:2020

EN IEC 62368-1:2020 + A11:2020


Person responsible for making this declaration:

Sun Qiaoyun

Regulatory Compliance Manager

Place of issue: Shenzhen, China

Date of issue: 2022-10-10



ΔΗΛΩΣΗ ΣΥΜΜΟΡΦΩΣΗΣ

Για τον ακόλουθο εξοπλισμό:

Όνομα Προϊόντος: 8-Port Gigabit PoE+ Switch with 2 Gigabit Uplink Ports

Αριθμός Μοντέλου: GS1010P

Εμπορικό Σήμα: Cudy

Διακηρύσσουμε με κάθε ευθύνη ότι το παραπάνω προϊόν συμμορφώνεται με όλους τους τεχνικούς κανονισμούς που ισχύουν για το προϊόν, εντός του αντικειμένου των Κοινοτικών Οδηγιών:

Οδηγία 2014/30/ΕΕ, Οδηγία 2014/35/ΕΕ, Οδηγία 2011/65/ΕΕ, Οδηγία (ΕΕ) 2015/863

Το παραπάνω προϊόν βρίσκεται σε συμμόρφωση με τα ακόλουθα πρότυπα ή άλλα έγγραφα συμμόρφωσης

EN 50032:2015+A1:2020 +A11:2020

EN IEC 61000-3-2:2019 + A1: 2021

EN61000-3-3: 2013 + A1:2019 + A2:2021

EN55035:2017 + A11:2020

EN IEC 62368-1:2020 + A11:2020


Υπεύθυνος για τη δήλωση αυτή:

Sun Qiaoyun

Διευθυντής κανονιστικής συμμόρφωσης

Τόπος έκδοσης: Shenzhen, Κίνα

Ημερομηνία έκδοσης: 2022-10-10



Shenzhen Cudy Technology Co., Ltd.

Room A606, Gaoxinqi Industrial Park, Liuxianyi Road, Baoan District, Shenzhen, China

www.cudy.com