



Network Installation Cable Cat.6 S/FTP, White

Technical Features

Performance: Cat.6 Class E up to 30m

Standards: ISO/IEC 11801, TIA/EIA 568

Application: Cat.6 cabling up to 30m


Conductor: CCA wire Ø0.57 mm AWG23

Shielding: 4 individually screened pairs (PIMF), copper braid (tinned)

Sheath: PVC, white, Ø6.7 mm outer cable diameter

Fire Protection Class: Eca (EN50575:2014/A1:2016)

Length	Part no.	EAN Code
50 m	CPV0043	4052792047769
100 m	CPV0039	4052792032079
305 m	CPV0038	4052792008999



www.logilink.de



RoHS
compliant



Made in China

* The specifications and pictures are subject to change without notice.
*All trade names referenced are the registered trademark of their respective owners.

Package Contents

CAT6 Installation Cable x 1

Packaging Informations

Packing Dimension	390 x 390 x 220mm (CPV0038)/260 x 260 x 100mm (CPV0039)
Packing Weight	9kg (CPV0038)
Carton Dimension	460 x 410 x 410mm (CPV0038)
Carton Q'ty	2pcs (CPV0038)
Carton Weight	18.5kg (CPV0038)





2direct GmbH – Langenstück 5 – 58579 Schalksmühle

CE- DECLARATION OF PERFORMANCE

No. 280318_1

Unique product - type identification code LogiLink CPV0038, CPV0039 u. CPV0043
Intended use High-speed data transmission cabling
Importer/Distributor 2direct GmbH
Langenstück 5
D-58579 Schalksmühle

Notified body VDE
Notified body no. 0366*

Classification Report No 5022677/05-1
Issue number 1
Date of issue 2017-07-18

System/s of AVCP 3

Test method and test number EN 60332-1-2

Reaction to fire performance

Essential Characteristic	Performance	Harmonized techn. Standard
Fire behaviour	Eca	EN 50575:2014 + A1:2016
Hazardous substances	NPD	

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Schalksmühle, March 28th, 2018

Place and date of issue

Signature (Wilfried Grohnert)

Bank national:
Volksbank im Märkischen Kreis eG
BLZ: 447 615 34
Kto.[EUR] 118 547 300
Kto.[USD] 118 547 315

Bank international:
Volksbank im Märkischen Kreis eG
BIC/SWIFT: GENODEM1NRD
IBAN: DE27447615340118547300
IBAN: DE10447615340118547315

2direct GmbH
Langenstück 5
D-58579 Schalksmühle
Tel. +49-2351-66887-0
Fax. +49-2351-66887-29

UST Id.-Nr. DE813146449
Homepage: www.2direct.de
Register: HRB 4819, Iserlohn
WEEE-Reg.-Nr.: DE81077960
GF: W. Grohnert, J. Alberts